



中国国家强制性产品认证证书

证书编号：2017010902021193

委托人名称、地址

英业达股份有限公司
台湾台北市士林区后港街66号

生产者（制造商）名称、地址

HP Inc.
1209 Orange Street, Wilmington, Delaware 19801, County of New Castle,
美国

生产企业名称、地址

英业达(重庆)有限公司
重庆市沙坪坝区西区二路66号

产品名称和系列、规格、型号

便携式计算机

见附件

产品标准和技术要求

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求，
特发此证。

发证日期：2017年11月13日 有效期至：2022年11月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询



主任：



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017010902021193

NAME AND ADDRESS OF THE APPLICANT

INVENTEC CORPORATION

Inventec Building, 66 Hou-Kang Street Shih-Lin District, Taipei 111, Taiwan

NAME AND ADDRESS OF THE MANUFACTURER

HP Inc.

1209 Orange Street, Wilmington, Delaware 19801, County of New Castle, USA

NAME AND ADDRESS OF THE FACTORY

Inventec (Chongqing) Corporation

No. 66 West District 2nd Rd., Shapingba District, Chongqing 401331, China

PRODUCT NAME, MODEL AND SPECIFICATION

Notebook Computer

See appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO.CNCA-C09-01:2014).

Valid from: Nov.13,2017

Valid until: Nov.13,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through CNCA's website: www.cnca.gov.cn




President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

附 录

第 1 页 共 2 页

证书编号: certiNum

纸 号:

HP EliteBook 840 G5 Notebook PC, HP EliteBook 846 G5 Notebook PC,
 HP ZBook 14u G5 Mobile Workstation, HP EliteBook 840
 G5XXXXXXXXXXXX, HP EliteBook 846 G5XXXXXXXXXXXX, HP
 ZBook 14u G5XXXXXXXXXXXX, HP EliteBook 840 G5 Healthcare
 Edition Notebook PC, HP EliteBook 840 G5XXXXXXXXXXXX HC (X 可
 以为数字,英文或符号,如“-”,0-9,a-z,A-Z,空白或者任何符号,为区
 分不同市场销售)(规定型号:HSN-I13C-4)
 规格:19.5Vdc,2.31A 或 20Vdc,2.25A 或 19.5Vdc,3.33A 或 20Vdc,3.25A
 (电源适配器(可选):见下表;电线组件可选)

HSTNN-CA41	交流输入:100-240V~,50-60Hz,1.4A 直流输出:19.5V,2.31A;45W (不带电线组件销售,仅适用于海拔5000米及以下)
HSTNN-CA40	交流输入:100-240V~ 50-60Hz 1.4A 直流输出:19.5V 2.31A 45W (不带电线组件销售,仅适用于海拔5000米及以下)
HSTNN-DA40	输入:100-240VAC 50-60Hz 1.4A 输出:19.5VDC 2.31A,不带电线组件销售,仅适用于海拔5000米及以下
HSTNN-LA40	输入:100-240V~,50-60Hz,1.1A;直流输出:19.5V/2.31A (仅适用于海拔5000米及以下)
HSTNN-AA44	交流输入:100-240V~,50-60Hz,1.4A 直流输出:DC19.5V,2.31A,最大功率45W (此产品不带电线组件销售,适用于海拔5000米及以下使用)
TPN-FA02	输入:100-240Vac,50-60Hz,1.3A;直流输出:19.5Vdc,2.31A (不带电线组件销售,仅适用于海拔5000米及以下)
PPP009A	输入:AC 100-240V,50-60Hz,1.7A;输出:DC +19.5V,3.33A;最大输出功率65W (不带电线组件销售;仅适用于海拔5000米及以下)
PPP009C	输入:AC100-240V,1.7A,50-60Hz 直流输出:DC 19.5V;3.33A,65W (销售不配备电线组件,仅适用于海拔5000米及以下)
PPP009D	输入:100-240VAC,50-60Hz,1.7A,输出:+18.5VDC/3.5A,或+19.5VDC/3.33A,不带电线组件销售,仅适用于海拔5000米及以下。
Series PPP019L-S	输入:100-240V~,50-60Hz,1.6A;输出:3.33A,19.5VDC (产品销售时不配备电源线组件,仅适用于海拔5000米及以下)


注:此附录与证书同时使用时有效。



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

附 录

第 2 页 共 2 页

证书编号: certiNum

纸 号:

TPN-CA07	输入: 100-240Vac, 50-60Hz, 1.7A; 输出: 19.5Vdc, 3.33A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
TPN-LA08	输入: 100-240V~, 50-60Hz, 1.6A; 输出: +19.5VDC/3.33A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
HSTNN-DA14	输入: AC 100-240V, 50-60Hz, 1.5A; 输出: DC 19.5V/ 3.33A, 5V/1.5A, 总输出功率 65W, 产品销售时不配备电线组件, 仅适用于海拔 5000 米及以下
TPN-LA06	输入: 100-240VAC, 1.4A, 50-60Hz, 直流输出: +5VDC/3A, +9VDC/3A, +10VDC/3.75A, +12VDC/3.75A, +15VDC/3A, +20VDC/2.25A, 最大输出功率为 45W(产品销售时不配备电线组件, 仅适用于海拔 5000 米及以下)
TPN-DA07	输入: 100-240VAC, 50-60Hz 1.4A 输出: 5Vdc, 3A or 9Vdc, 3A or 10Vdc, 3.75A or 12Vdc, 3.75A or 15Vdc, 3A or 20Vdc, 2.25A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
TPN-AA03	输入: 100-240V~, 50-60Hz, 1.7A 输出: DC 5V/3A, 9V/3A, 10V/5A, 12V/5A, 15V/4.33A, 20V/3.25A, 65W Max. (不配带电线组件销售, 仅适用于海拔 5000 米及以下地区安全使用)
TPN-CA06	交流输入: 100-240Vac, 1.7A, 50-60Hz; 直流输出: 5Vdc, 3A 或 9Vdc, 3A 或 10Vdc, 5A 或 12Vdc, 5A 或 15Vdc, 4.33A 或 20Vdc, 3.25A, 65W (产品销售时不带电线组件, 仅适用于海拔 5000 米及以下)

注: 此附录与证书同时使用时有效。



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE